



Firma: ISCom d.o.o.
Adresa: T.C. "Danubius" Karađorđeva 12,
lokali 28, 156 i 156a
Telefon: 026/4-100-500, 069/4-100-500
Fax:
PIB: 104927929
E-mail: prodaja@iscom.rs

DAHUA IPC-HDBW3841E-AS-0280B-S2 IR 8MP
Fixed focal Dome WizSense Network Camera
(SCA00402)

Šifra: 45890
Kategorija proizvoda: IP kamere za video nadzor
Proizvođač: Dahua



Cena: **38.621,00** rsd.

Audio	Zvučnici: Mikrofon: Podržani audio formati:	Ugrađeni Ugrađen G.726, PCM, G.711a, G.711Mu, G.723
Dodatne funkcije	Snimanje:	Video tampering, BLC, HLC, Detekcija pokreta, WDR, 3D NR, intelligent detection
Fizičke karakteristike	Dimenzije: Masa: Boja:	89.1mm × Φ111.7mm 0.67kg Bela
Memorija	RAM: Interna: Podržane memorijske kartice:	1GB 128MB MicroSD (do 256GB)
Reklamacioni period	Reklamacioni period:	24 meseca
Senzor	Tip kamere: Rezolucija senzora: Veličina:	IP 8 Megapiksela 1 2.8 inča
Snimanje videa	Rezolucija videa: Frame rate: Podržani video formati:	1.280 × 720 (HD 720p), 1.920 × 1.080 (Full HD 1080p), 2.048 × 1.536, 2.560 × 1.440, 1.280 × 960 (1.3M), 704 × 576 (D1), 704 × 480 (D1), 640 × 480 (VGA), 352 × 288 (CIF), 352 × 240 (CIF), 2.592 × 1.944 (5M), 2.688 × 1.520 (4M), 3.840 × 2.160 (8MP), 3.072 × 2.048 (6M) 704 × 576@(1 fps-25 fps) 704 × 480@(1 fps-30 fps), 3840 × 2160@(1 fps-30 fps), 1.920 × 1.080@(1 ~ 30fps) H.264, H.264B, H.265, MJPEG, Smart H.265
Sočivo	Fokusna daljina: Fokusni koeficijent:	2.8mm~3.6mm F1.4
Zaštita	Ostalo:	Video encryption, configuration encryption, Digest, WSSE, account lockout, security logs, Generation and importing of

X.509 certification, HTTPS,
trusted boot, trusted execution,
trusted upgrade, IP MAC filtering,
Syslog

Žična mreža

Protok žične mreže:

RJ-45 (10 100Mbps Base-T)

Protokoli:

IPv4, ARP, TCP, UDP, ICMP, RTSP,
RTP, RTCP, IPv6, HTTP, FTP, NTP,
SMTP, DNS, DDNS, PPPOE, DHCP,
UPnP, IGMP, SNMP, QoS,
Multicast, NFS, SFTP, RTMP,
SAMBA